


Soundproof White Party Marquee Tents With Hard Pressed Extruded Frame Structure Large Party Marquee

Our Product Introduction

Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Big tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month




Product Specification

- Product Name: White Party Marquee
- Frame: 4 Channels, Hard Pressed Extruded Aluminium Alloy 6061/T6
- Roof Cover: Opaque(or Transparent), Water Proof, 850g/m². Flame Retardant.PVC-coated Polyester
- Side Wall: 650g/m² PVC-coated Polyester,glass Wall,ABS Wall
- Wind Resistance: 80~140km/h
- Accessories: PVC Windows, Glass Door, Stake, Stake Puller, Rain Gutter, Lining And Curtain, Flooring System, Glass Walling System, Weight Plate, ABS/Sandwich Wall System
- Connectors: Hot-dip Galvanized Twin Plate;expansion Bolts To Fix Tent
- Application: Weddings, Parties, Factories, Workshops, Exhibitions, Events, Etc
- Highlight: **Soundproof Party Marquee Tents,**



for more products please visit us on marquees-tent.com

More Images



Product Description

Soundproof White Party Marquee Tents With Hard Pressed Extruded Frame Structure Large Party Marquee

Product Specification:

Specification	Span width (m)	Bay spacing (m)	Eave height (m)	Ridge height (m)	Longest components(m)
TDS-3	3	3	2.5	3	2.7
TDS-6	6	3	2.5	3.5	3.7
TDS-8	8	3	2.5	3.9	4.7
TDS-10	10	3	2.5	4.3	5.3
TDS-15	15	5	4	6.43	7.9
TDS-18	18	5	4	6.9	9.2
TDS-20	20	5	4	7.2	10.6
TDS-25	25	5	4	8	10.6
TDS-30	30	5	4	8.8	10.6
TDS-40	40	5	4	9.6	11.1
TDS-50	50	5	4	12.2	11.1

Features :

Aluminum Marquee Tent

1. Marquee tent materials:

- * Fabric: Double PVC coated polyester fabric, 750-900g/sq. M, water proof, UV resistance, fire retardant according to standard
- * NFPA701, CFM & DIN4102 B1/M2
- * Frame: Hard pressed extruded aluminum 6061/T6, anodized surface finishing.
- * Connections: Hot-DIP galvanized

2. Marquee tent specification:

- * Large transparent marquee tent belongs to the MT tents (MT series)
- * Large exhibition tent Main frame profile size for MT series: 84*48*3mm; 122*68*3mm; 166*88*3mm; 203*110*4mm
- * Wind load: 100km/h
- * Snow load: 75kg/sqm
- * Allowed temperature condition: -30 degree Celsius ~ +70 degree Celsius
- * Easy to be assembled and dismantled, removeable
- * No pole inside, 100% room is available
- * Sizes can be customized (like side/wall height)

Precautions :

According to the different size of the project is also different, the size of the site is not the same. However, in addition to the method of using seed blocks, different materials will be used in different places to fix the tent. The soil and sand ground will be fixed with steel, and this deep-buried fixing method is suitable for the ground that is easy to loose.

The treatment after the demolition of the tent is also relatively simple, only need to pull out the steel can be landfill. Cement pavement and asphalt pavement are generally fixed with expansion screws, which will only leave some small holes after the demolition of the tent, and will not affect the appearance of the road surface. If you want to treat it, you can use cement to smooth the road surface, and the impact on the road surface is very small.

FAQ :

Do you manufacture custom-designed structures?

Yes. Depending on the requirements of the project and upon customer request, we design and manufacture products that meet your special criteria. Our expert and friendly staff help you come up with the most affordable and efficient solution for your business needs.

What kind of material is used for the Fabric?

The raw fabric is composed of 100% polyester high-strength lines coated by PVC to make the product resistant to water, fire, UV light and other harmful effects of environmental conditions.

Contact us :

Company:	Tendars technology Co.,Ltd
Address:	Room 904, No. 6, Hanxing 3rd Street, Zhongcun Street, Guangzhou, Guangdong, China
Contact person:	Amanda Chen
Tel:	0086-13640286461
Mobile(Wechat/Whatsapp):	+86 13640286461
Web:	http://www.marquees-tent.com



Guangzhou Tendars Tent Co., Limited

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China