New Design Hotel Polycarbonate Dome Glamping Tent Modular Prefab PC **Crystal Bubble Dome House For Resort**

Basic Information

. Place of Origin: Guangdong, China

Brand Name: Tendars

· Certification: ISO9001, SGS, Coc, CE

Model Number: small tent

• Minimum Order Quantity: 25 square meters • Price: Reconsideration

 Packaging Details: 1, The aluminium frame structure packed into

the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.

Delivery Time: 18days or To be negotiated

• Payment Terms: L/C, T/T, Western Union, MoneyGram · Supply Ability: 50000 Square Meters per Month



Product Specification

Product Name: Hotel Polycarbonate Dome Glamping Tent

· Color: Customized, white, transparent

Oem/odm: Available

Roof Cover: **Double Coated PVC**

80-100km/H . Wind Loading:

. Connectors: Hot-DIP Galvanized 4/5/6/8/10M, Customized · Size:

Steel Frame Frame Material:



More Images





Product Description

New Design Hotel Polycarbonate Dome Glamping Tent Modular Prefab PC Crystal Bubble Dome House For Resort

Product Parameter :

Roof Material	850g/sqm black-out white PVC cover
Wall Material	650g/sqm white PVC cover
I-eature	High quality PVC-coated polyester textile, 100% waterproof, flame retardant to DIN4102 B1, M2, CFM, UV resistant, tear resistant
Frame Material	Strong Galvanized pipe structure with good anti-rust ability

	Total sqm	Тор	Steel	Pipe	Fixing parts weight			Eatimated packing
(M)	(m2)	height	pipe	frame weight	(KG)	PVC Cover weight (KG)	Total weight (KG)	volum
		(M)	size	(KG)		1		(m3)
			(MM)			1		
3.6	10.52	2.25	Ф26*1. 6	122	19	31	172	0.35
4	12.56	2.35	Ф26*1. 6	134	19	32	185	0.4
5	19.63	2.94	Ф26*1. 6	167	19	50	236	0.5
6	28.27	3.1	Ф26*2	248	20	60	328	0.7
7	38.48	3.6	Ф26*2	286	20	84	390	0.7
8	50.26	4.1	Ф32*2	409	20	101	530	0.8
9	63.61	4.6	Ф32*2	459	20	133	612	0.9
10	78.54	5.1	Ф32*2	507	20	153	680	1
12	113.09	6.1	Ф32*2. 5	746	20	215	981	1.3
15	176.71	7.6	Ф38*2. 5	1119	36	331	1486	5
20	314.16	7.975	Ф48*3	2738	72	468	3278	6
25	490.87	10.24 7	Ф48*3	4313	95	750	5158	13
30	706.86	12.81 1	Φ48*3	5993	110	1104	7207	15
40	1256.64	15.67	Φ48*3	10920	328	1830	13078	20

Details:



Characteristic:

Polycarbonate Material: Hotel polycarbonate dome glamping tents are constructed using high-quality polycarbonate panels. Polycarbonate is a durable and lightweight material known for its strength, impact resistance, and ability to withstand harsh weather conditions.

Dome Shape: These tents feature a dome-shaped design, which not only enhances their aesthetic appeal but also offers structural stability. The dome shape allows for efficient distribution of weight and makes the tent resistant to wind and snow loads.

Translucent Panels: The polycarbonate panels used in these tents are translucent, allowing natural light to enter the interior during the day. This creates a bright and airy atmosphere inside the tent, reducing the need for artificial lighting and providing guests with a connection to the surrounding environment.

Panoramic Views: Hotel polycarbonate dome glamping tents often feature large windows or clear panels that offer panoramic views of the surrounding landscape. Guests can enjoy breathtaking views of nature from the comfort of their accommodation, enhancing their overall experience.

Privacy: While providing expansive views, these tents also offer privacy for guests. The translucent panels allow for privacy without completely blocking out the outside world, creating a sense of seclusion while still maintaining a connection to nature.

Luxurious Amenities: Hotel polycarbonate dome glamping tents are designed to provide guests with a luxurious and comfortable experience. They may include amenities such as plush bedding, en-suite bathrooms, heating and air conditioning systems, and upscale furnishings to ensure guests feel pampered during their stay.

Customization Options: These tents can be customized to meet the specific needs and preferences of hotel owners and guests. From the size and layout of the tent to the interior decor and amenities, customization options allow for a unique and personalized glamping experience.

Sustainable Design: Many hotel polycarbonate dome glamping tents are designed with sustainability in mind. They may feature eco-friendly materials, energy-efficient lighting and heating systems, and low-impact construction practices to minimize their environmental footprint.

All-Season Use: Hotel polycarbonate dome glamping tents are suitable for year-round use, thanks to their durable construction and weather-resistant materials. They provide comfortable accommodation in all seasons, allowing guests to enjoy outdoor adventures regardless of the weather conditions.

Memorable Experience: Overall, the unique design, luxurious amenities, and breathtaking views offered by hotel polycarbonate dome glamping tents create a memorable and unforgettable experience for guests. Whether used for romantic getaways, family vacations, or corporate retreats, these tents provide a one-of-a-kind lodging option that combines luxury with adventure.

FQA:

Q: How can i get the price?

A: We usually quote within 24 hours after we get your inquiry(Except weekend and holidays). If you are very urgent to get the price, please email us or contact us in other ways so that we can offer you a quote.

Q: Can I buy samples placing orders?

A: Yes.Please feel free to contact us.

Q: What is your lead time?

A: It depends on the order quantity and the season you place the order. Usually we can ship within 7-15 days for small quantity, and about 30 days for large quantity.

Q: What is your payment term?

A: T/T, Western Union, L/C, and Paypal. This is negotiable.

Q: What is the shipping method?

A: It could be shipped by sea,by air or by express(EMS,UPS,DHL,TNT,FEDEX and ect). Please confirm with us before placing orders.





Guangzhou Tendars Tent Co., Limited



0086 13640286461



amanda@marquees-tent.com



marquees-tent.com

 $No.319, 2nd\ building\ , 8th\ zone\ , Aoyuan\ city\ plaza\ ,\ Zhongcun\ Street,\ Guangzhou,\ Guangdong,\ China$