

## Rainproof Mobile High Peak Pavilion Pagoda Tent For Party/Wedding/Exhibition/Trade Show/ Etc

Our Product Introduction

for more products please visit us on [marquees-tent.com](http://marquees-tent.com)

### Basic Information

- Place of Origin: Guangdong
- Brand Name: Tendars
- Certification: ISO9001, SGS, Coc, CE
- Model Number: Small tent
- Minimum Order Quantity: 25 square meters
- Price: Reconsideration
- Packaging Details: 1, The aluminium frame structure packed into the bubble film 2, the pvc fabric roof cover and sidewalls are packed into the PVC fabric carry bag; 3, Hardware packed into the box.
- Delivery Time: 18days or To be negotiated
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Square Meters per Month





### Product Specification

- Product Name: High Peak Pavilion Pagoda Tent
- Application: Party/wedding/exhibition/trade Show/ Etc
- Fixing Solution: Ground Anchor, Expandable Bolt, Weight Plate, Etc.
- Temperature Resistance: 30 Degree Celsius ~ +70 Degree Celsius
- Connectors: Hot-DIP Galvanized
- Side Wall: PVC Walls, glass Wall, ABS Wall, sandwich Panel Wall, etc.
- Maquee Tent Fabric: 850g/sqm Vinyl For Top Cover, 650g/sqm Vinyl For Sidewall
- Accessories: Lining System , Ceiling Lining Or Floor System , AC System



### More Images





## Product Description

### Rainproof Mobile High Peak Pavilion Pagoda Tent For Party/Wedding/Exhibition/Trade Show/ Etc

#### Product Description:

Eave/Ridge connection	Hot-dip Galvanized steel insert
Materials	(1) Frame structure: Hard pressed extruded aluminium 6061 /T6(15HW) which can last 15 to 25 years.
	(2) Fabric cover: High quality double PVC-coated polyester textile, 100% waterproof, flame retardant to DIN4102 B1, M2, CFM, UV resistant, tear resistant, self-cleaning ability, etc.
	(3) Connector: Strong hot-DIP galvanized steel

Item	Size	Eave Height	Ridge Height	Main Profile
1	3x3m	2.5m	3.9m	65x65x2.5mm
2	4x4m	2.5m	4.8m	65x65x2.5mm
3	5x5m	2.5m	5.2m	65x65x2.5mm
4	6x6m	2.5m	5.2m	65x65x2.5mm
5	8x8m	2.6m	5.7m	122x68x3mm
6	10x10m	2.6m	6.2m	122x68x3mm

#### Details:

##### Structurs Material:

Frame: Hard Pressed Extruded Aluminum Alloy 6061/T6

Featuers:Stainless Steel Lightweight 4 Channel

Assembly Of The Main Profiles On The Ground,The Profiles Are Clipped Together On Grvanized Steel Connections

##### Cover:

Top Roof And Gable Sides :850g/sqm Blocl-out white pvc for roof

Sidewalls: 650g/Sqm,Translucent white PVC for Sidewall, Opaque

##### Features:

1000d\*1000d Polyester Textile With Double Side Pvc Coated,WaterProof,Antiaging,UV Resistance And Flame Retardant To Din 4102, b1, m2. Cold Resistance Can Reach Subzero 25c

##### Components :

Superior Enclosure with Hot Dip Galvanized Steel

**FQA:**

**Q: Can you print our logos on the tent?**

Yes. Customized logos can be printed on the tent fabric according to your requirements.

**Q: Is that factory price?**

Yes. We assure you all prices are based on factory.

**Q: Does your tent be able to installed repeatedly? What is the life span?**

Our tents can be assembled and dismantled easily and repeatedly with small transportation size. The lifespan of aluminium framework can reach 15-20 years, and 5-8 years for PVC fabrics depending on different conditions of usage.

**Q: What documents are available?**

A full range documents including structural drawings, packing list, installation manual and relative certificates can be provided. Moreover, customs declaration is provided. We provide one-stop service for you.



**Guangzhou Tendars Tent Co., Limited**

☎ 0086 13640286461

✉ amanda@marquees-tent.com

🌐 marquees-tent.com

No.319, 2nd building , 8th zone , Aoyuan city plaza , Zhongcun Street, Guangzhou, Guangdong, China